

# Senate File 103

SENATE FILE \_\_\_\_\_  
BY SODDERS

Passed Senate, Date \_\_\_\_\_ Passed House, Date \_\_\_\_\_  
Vote: Ayes \_\_\_\_\_ Nays \_\_\_\_\_ Vote: Ayes \_\_\_\_\_ Nays \_\_\_\_\_  
Approved \_\_\_\_\_

## A BILL FOR

1 An Act requiring automated external defibrillators in all  
2 physical exercise clubs, and providing an effective date.  
3 BE IT ENACTED BY THE GENERAL ASSEMBLY OF THE STATE OF IOWA:  
4 TLSB 1599XS 83  
5 ak/sc/5

PAG LIN

1 1 Section 1. NEW SECTION. 552.15 CARDIAC AUTOMATED  
1 2 EXTERNAL DEFIBRILLATORS.  
1 3 1. As used in this section, "automated external  
1 4 defibrillator" means a portable device used to restore normal  
1 5 rhythm to a patient in cardiac arrest by analyzing the  
1 6 patient's heart rhythm and determining whether a shock is  
1 7 needed to restore a normal heartbeat.  
1 8 2. A physical exercise club shall locate in every facility  
1 9 at least one automated external defibrillator that is  
1 10 accessible during business hours and special events. The  
1 11 physical exercise club is responsible for the care and  
1 12 maintenance of the automated external defibrillator including  
1 13 but not limited to periodic service checks and battery  
1 14 replacement.  
1 15 Sec. 2. Section 552.22, Code 2009, is amended to read as  
1 16 follows:  
1 17 552.22 APPLICABILITY.  
1 18 ~~This The provisions of this chapter applies that apply to~~  
1 19 ~~physical exercise club contracts apply to all physical~~  
1 20 ~~exercise club contracts entered into in this state on or after~~  
1 21 ~~July 1, 1988, concerning physical exercise club facilities~~  
1 22 ~~located, or services to be provided, in this state.~~  
1 23 Sec. 3. EFFECTIVE DATE. This Act takes effect July 1,  
1 24 2010.

## EXPLANATION

1 26 This bill provides for the placement of an automated  
1 27 external defibrillator in every physical exercise club in the  
1 28 state. An automated external defibrillator is a portable  
1 29 device used to restore a normal heart rhythm to a patient in  
1 30 cardiac arrest by analyzing the patient's heart rhythm and  
1 31 determining whether a shock is needed to restore a normal  
1 32 heartbeat.  
1 33 The bill requires a physical exercise club to locate at  
1 34 least one automated external defibrillator in every facility  
1 35 that is accessible during business hours and special events.  
2 1 The physical exercise club is responsible for the care and  
2 2 maintenance of the automated external defibrillator.  
2 3 The bill has an effective date of July 1, 2010.  
2 4 LSB 1599XS 83  
2 5 ak/sc/5.1